BBNBNSB24



SPECS

-FLUSH FINISHED SIZE	Door 1065mmH x 475mmW x 45mmD
-SURFACE MOUNT FINISHED SIZE	1170mmH x 490mmW x 135mmD
-ENCLOSURE MATERIAL	1mm sheet metal
-DOOR	2mm Aluminium
-CABLE ENTRY	4 x 26mm, 3 x 32mm knockouts to top 6 x 32mm knockouts to left side
-SUB BOARD SECTION	2 x 18 Pole Main earth and neural bars suits mains up to 16mm2 2 x rows of 12 Pole Din Rail
-DATA SECTION	630mm x 300mm size gear tray mounting footprint
-DOOR CATCH	Magnetic
-DOOR SWING	RH Hinged, can be field reversed
-MOUNTING	Recess size is 405mm Wide between studs and 1005mm high or Surface with BBNBNSB24SM
-COLOUR	White textura

-Trim Kit Sold Separately

DRAWN BY PS	20/01/2021	BUILT BOARDS	
CHECKED			
QA			
MFG			
APPROVED		SIZE D	REV
		BBNBNSB24	
		SCALE 1 / 2.5	SHEET 1 OF 1









A -TOP



B - BOTTOM



MOUNTING BOX

DRAWN BY PS	20/01/2021	BUILT BOARDS
CHECKED		
QA		
MFG		
APPROVED		
		SIZE D · BBNBNSB24 · REV
		SCALE 1 / 3 · SHEET OF









DOOR FRAME & DOOR

DRAWN BY PS	20/01/2021	BUILT BOARDS
CHECKED		
QA		
MFG		
APPROVED		
SIZE D	BBNBNSB24	REV
SCALE 1/3	SHEET 1 OF 1	

DO NOT SCALE













DOUBLE GPO AND 6 GANG PLATES

DRAWN BY PS	20/01/2021	BUILT BOARDS
CHECKED		
QA		
MFG		
APPROVED		
SIZE D	BBNBNSB24	REV
SCALE 1 / 1.5	SHEET 1 OF 1	